

Invoice to:	
Name:	
Street:	
Town:	Postal code:
Country:	
Tel:	Fax:
Order date:	
Purchase order:	

Deliver to:	
Name:	
Street:	
Town:	Postal code:
Country:	
Tel:	Fax:
Marked for:	

Fax: +44 (0)845 605 66 89

E-mail: orders@sunmed.co.uk

Spare Parts: http://parts.sunrisemedical.eu

Transportation approved (crash tested)

Maximum user weight limit 75kg
Plus additional 15kg for 3rd party seating system

Standard Features (Salsa R) <ul style="list-style-type: none"> ● Rear wheel drive base ● 12" (indoor) or 14" (outdoor) drive wheels ● Drive wheel suspension ● Adjustable anti-tipper ● 60Ah batteries ● 58cm overall width ● Motor/wheel disengagement ● Transportation approved 	Standard Features (Salsa M) <ul style="list-style-type: none"> ● Mid wheel drive base ● 13" drive wheel ● Anti-pitch & suspension system ● 50Ah Batteries ● 60cm width / 120cm turning circle ● 7.5cm (3") kerb climbing ability ● Motor/wheel disengagement ● Transportation approved 	Standard Features (Seating System) <ul style="list-style-type: none"> ● Width, height & depth adjustable seat ● Flip back, angle, height & depth adj. arms ● Angle & depth adjustable footplates ● Tension adj. backrest sling ● Angle adjustable back (-4° to 16°) ● VR2 controller & parallel swing-away arm ● Adjustable lap strap
--	---	---

DRIVE BASE TYPE

£4,095 / €6,663
 Salsa R (RWD)
Part N_ 035000-000

£4,395 / €7,150
 Salsa M (MWD)
Part N_ 035000-000
STANDARD SEAT: FRAME / SEAT SIZE

Width Setting		Depth setting	
SAZW30	<input type="radio"/> 30cm (12")	SAZD30	<input type="radio"/> 30cm (12")
SAZW32	<input type="radio"/> 32cm (13")	SAZD32	<input type="radio"/> 32cm (13")
SAZW34	<input type="radio"/> 34cm (13.5")	SAZD34	<input type="radio"/> 34cm (13.5")
SAZW36	<input type="radio"/> 36cm (14")	SAZD36	<input type="radio"/> 36cm (14")
SAZW38	<input type="radio"/> 38cm (15")	SAZD38	<input type="radio"/> 38cm (15")
SAZW40	<input type="radio"/> 40cm (16")	SAZD40	<input type="radio"/> 40cm (16")

SAL040202 : Adjustable Seating System

Seat frame is fully adjustable from 30cm to 40cm (12" - 16") in width and depth. Independently adjustable in 2cm increments

£

€

STANDARD SEAT: CUSHION

SAZ020001	<input checked="" type="radio"/> Firm seat board	(standard with standard seat)		
SAZ020002	<input type="radio"/> 5cm (2") standard foam cushion 30cm wide	(used for seat width 30 - 34cm)		
SAZ020003	<input type="radio"/> 5cm (2") standard foam cushion 36cm wide	(used for seat width 36 - 40cm)		
	<input type="checkbox"/> Jay Comfort Seating comfort seat and back			
	<input type="radio"/> 32cm	<input type="radio"/> 36cm	<input type="radio"/> 40cm	
				267
				436

LIFT AND TILT

SAZ020101	<input type="radio"/> Manual tilt (3° preset tilt)	(0°, 3°, 6° and 9° adjustable)		
SAZ020102	<input type="checkbox"/> Powered C.O.G tilt: 0° to 30°	(for seat to floor height please refer to back page)	560	910
SAZ020103	<input type="checkbox"/> Powered negative C.O.G tilt: -5° to 25°	(for seat to floor height please refer to back page)	673	1094
SAZ020104	<input type="checkbox"/> Powered lift & tilt: 30cm lift, 0° to 30° tilt	(for seat to floor height please refer to back page)	1498	2436

BACKREST UPHOLSTERY

SAZ030001	<input type="radio"/> Tension adjustable sling backrest (41cm (16") height)	(adjustable 15" to 19")		
-----------	---	-------------------------	--	--


BACKREST RECLINE

SAZ030002	<input type="radio"/> Mechanical fixed recline back	(-4° to 16° in 3° steps)		
SAZ030003	<input type="checkbox"/> Powered recline back	(0° - 30°, 30 to 40cm depth adjustment range)	361	587

● = Standard ○ = No cost option □ = Cost option

		£	€
HEADREST			
SAZ090001	<input type="checkbox"/> Curved headrest option 8" x 4.5" pad <i>(mounted on rail)</i>	149	241
ARMREST			
SAZ040001	● Flip-up, height and angle adjustable with 285 x 60mm pad		
SAZ040002	<input type="checkbox"/> Lift-off skirt guards <i>(26cm skirt guard)</i>	60	97
USER POSITIONING ITEMS			
SAZ090101	<input type="checkbox"/> Jay lateral pads, pair (10 x 10cm pad size, swing-away) <i>(only available with Jay Comfort Seating seat system)</i>	213	346
SAZ090102	<input type="checkbox"/> Seat shell back attachment brackets (J3 standard assembly brackets)	104	170
LEGRESTS & FOOTPLATES			
SAZ050001	○ 90° swing-away legrest <i>(with aluminium footplates and calf strap, lower leg length 16 - 26cm)</i>		
SAZ050005	○ Centre mount legrest (with calf pads & flip-up footplate) <i>(lower leg length 14 - 36cm - not available with negative tilt)</i>		
SAZ050002	<input type="checkbox"/> Elevating legrest <i>(with aluminium footplates and calf strap, lower leg length 16 - 26cm)</i>	427	695
Legrest extension for swing-away legrests			
SAZ050003	<input type="checkbox"/> Legrest extension for 90° s/a legrests <i>(30, 32.5 and 35cm lower leg length, adjustable)</i>	49	80
SAZ050004	<input type="checkbox"/> Legrest extension for manual elevating legrests <i>(30, 32.5 and 35cm lower leg length, adjustable)</i>	49	80
VR2 70AH CONTROLS			
<i>Note: VR2 Controls can power two powered options via the hand control. For more than two powered options select VR2 and four actuator control or R-net Rehab controls</i>			
SAZ110002	○ VR2 remote <i>(c/w actuator control keys)</i>		
SAZ110003	○ VR2 remote with lights & indicator and actuator keys		
SAZ110011	<input type="checkbox"/> VR2 90A heavy duty motor controller <i>(only selectable with 10kph motors)</i>	164	266
Parallel swing-away controller mount SAZ110003 RH ○ ○ LH SAZ110004			
SAL090004	<input type="checkbox"/> VR2 dual control (mounted RH) <i>(For dual control, VR2 remote must be selected also)</i>	387	629
R-net CONTROLS			
<i>Note: VR2 Controls can power two powered options via the hand control. For more than two powered options select the R-net controller</i>			
SAZ110102	<input type="checkbox"/> R-net LED remote L&I <i>(c/w light & actuator control keys)</i>	400	652
SAZ110103	<input type="checkbox"/> R-net LCD remote L&I <i>(c/w light & actuator control keys)</i>	464	755
SAZ110104	<input type="checkbox"/> R-net OMNI <i>(Price includes R-Net Omni, 2 x buddy buttons and adjustable flexi arm mount)</i>	961	1564
Parallel swing-away controller mount SAZ110005 RH <input type="checkbox"/> <input type="checkbox"/> LH SAZ110006			
	<input type="checkbox"/> R-net dual control (mounted RH) <i>(For dual control, R-net LED remote must be selected also)</i>	464	755
LIGHTS & INDICATORS			
SAZ090202	<input type="checkbox"/> Flip-back lights & indicators	283	460
SAZ090203	<input type="checkbox"/> LED lights & indicators	339	550
SAZ110007	○ VR2 lighting module <i>(select if VR2 controller and lights and indicators are chosen)</i>		
KERB CLIMBER			
SAL030401	<input type="checkbox"/> Kerb climber <i>(RWD only - not required on MWD base)</i>	140	230
RWD - REAR WHEELS & CASTORS			
STANDARD REAR WHEELS & CASTORS			
SAZ070001	○ 12" Pneumatic drive wheels 8" Solid castors <i>(58cm / 23" overall chair width)</i>		
SAZ070002	○ 12" Solid drive wheels 8" Solid castors <i>(58cm / 23" overall chair width)</i>		
SAZ070003	○ 14" Pneumatic drive wheels 9" Solid castors <i>(60cm / 24" overall chair width)</i>		
SAZ070004	○ 14" Solid drive wheels 9" Solid castors <i>(60cm / 24" overall chair width)</i>		
LOW PUSH FORCE REAR WHEELS & CASTORS (QUICK RELEASE EMERGENCY FREEWHEEL)			
SAZ070201	○ 12" Solid drive wheels 8" Solid castors <i>(62cm / 24.5" overall chair width)</i>		
SAZ070202	○ 13" Solid drive wheels 9" solid castors <i>(62cm / 24.5" overall chair width)</i>		
MWD - REAR WHEELS & CASTORS			
STANDARD REAR WHEELS & CASTORS			
SAZ070102	○ 13" Solid drive wheels 7" Solid castor / 6" solid rear wheel <i>(60cm / 24" overall chair width)</i>		
SAZ070101	○ 13" Pneumatic drive wheels 7" Solid castor / 6" solid rear wheel <i>(60cm / 24" overall chair width)</i>		
LOW PUSH FORCE REAR WHEELS & CASTORS (QUICK RELEASE EMERGENCY FREEWHEEL)			
SAZ070202	○ 13" Solid drive wheels 7" Solid castor / 6" solid rear wheel <i>(62cm / 24.5" overall chair width)</i>		

● = Standard ○ = No cost option □ = Cost option

		£	€
MOTOR SPEED			
SAZ100001	<input type="radio"/> 6 kph		
SAZ100001	<input type="checkbox"/> 10 kph	232	376
COLOUR			
SALSA (RWD)		SALSA (MWD)	
SAZ100101	<input type="radio"/> Silver frame and black legrests	SAZ100102	<input type="radio"/> Red shrouds and black legrest
SAZ100103	<input type="checkbox"/> Brilliant Blue frame and black legrests	SAZ100104	<input type="checkbox"/> Yellow shrouds and black legrests
SAZ100105	<input type="checkbox"/> Brilliant Lime frame and black legrests	SAZ100106	<input type="checkbox"/> Blue shrouds and black legrests
		<input type="checkbox"/> B4Me RAL colour options (MWD) - Please advise colour required	
		POA	POA
BATTERIES			
SAZ160001	● 60Ah gel batteries (RWD)		
SAZ160002	● 50Ah gel batteries (MWD)		
CHARGER			
SAZ160101	● 8A Charger		
ACCESSORIES			
SAZ090401	● Transportation tie down points		
SAZ090402	● Adjustable lap strap		
SAZ090403	<input type="checkbox"/> Swing-away tray table 30 - 36cm	149	241
SAZ090404	<input type="checkbox"/> Swing-away tray table 36 - 40cm	149	241
SAZ090406	<input type="checkbox"/> Rear view mirror	33	53
SAZ090409	<input type="checkbox"/> R-net Bluetooth control module	(R-net Bluetooth computer mouse control)	538
SAZ090410	<input type="checkbox"/> Bluetooth USB mouse receiver	57	93
COMMENTS FOR SPECIAL BUILDS			
			
Zippie Salsa - Base Price			
Option Price			
VAT			
Total Price			

SALSA R: SEAT HEIGHTS AND SETTINGS

	12" Drive Wheels / 8" Castor Available seat heights				
No module	37cm	39cm	41cm	43cm Factory Setting	45cm
Tilt module	41cm Factory Setting	43cm	N/A	N/A	N/A
Negative tilt	44.5cm Factory Setting	N/A	N/A	N/A	N/A
Lift/Tilt module	43cm Factory Setting	N/A	N/A	N/A	N/A

	13/14" Drive Wheels / 9" Castor Available seat heights				
No module	38cm	40cm	42cm	44cm Factory Setting	46cm
Tilt module	42cm Factory Setting	44cm	N/A	N/A	N/A
Negative tilt	44.5cm Factory Setting	N/A	N/A	N/A	N/A
Lift/Tilt module	44cm Factory Setting	N/A	N/A	N/A	N/A

SALSA M: SEAT HEIGHTS AND SETTINGS

	Available Seat Heights		
No module	40cm	42.5cm Factory Setting	45cm
Tilt module	44.5cm Factory Setting	45cm	47.5cm
Negative tilt	45.5cm Factory Setting	47cm	49.5cm
Lift/Tilt module	48cm Factory Setting	50.5cm	53cm

All seat heights with tilt or lift modules measured with seat set at 0°

Seat height for negative tilt module measured at front of seat

Seat height measured from floor to front top of firm seat board