

# Aquatec® | ***Ocean family***



3 year warranty

150 kg weight limit  
(23 stone)



## ***Aquatec Ocean, Ocean XL, Ocean Vip, Ocean Vip XL, Ocean Dual Vip, Ocean E-Vip***

The Aquatec **Ocean** series of shower commode chairs offers a flexible, modular solution for a wide range of clients.

**AQUATEC®**



**Yes, you can.®**



Aquatec **Ocean**

- Stable, stainless steel frame
- Individually adjustable seat height: no tools required
- Machine-washable adjustable backrest with quick-release buckles, can be adjusted to the user
- Space-saving push bar to enable optimal positioning over the toilet
- Ergonomic, swing-away armrests can be adjusted to two different height levels
- Height-adjustable, swing-away and detachable footrests for simple transfer
- Fold-away, textured footplates with heel loops provide a safe position

The **Ocean** is available as follows:

- Standard version with castors, soft seat with insert, pan and lid.  
**Product code: 1517044**
- Self-propel model with 24" wheels, quick-release-axles and four castors, soft seat with insert, pan and lid.  
**Product code: 1517045**
- XL version: More space between the backrest posts, with castors, soft seat with insert, pan and lid.  
**Product code: 1517058**
- All models can be retrofitted with 24" wheels and/or to the XL version  
**Product code: 1517059** (As above XL version with 24" wheels)

## Options and features



### **Ocean 24" wheels**

Self-propel model with 24" wheels, quick-release axles and four castors.



### **Ocean XL**

More space between the armrests and backrest posts.



Individually adjustable seat height: no tools required.



Easy disassembly for mobile use, e.g. whilst travelling.



Stable, stainless steel frame.

Aquatec **Ocean Vip**

- Stable, stainless steel frame
- Seat tilt can be individually adjusted (tilt angle 0° - 35°)
- Stainless steel gas spring
- Extremely stable even at maximum tilt angle
- Seat height adjustable in 3 steps, no tools required
- Very comfortable, ergonomically contoured seat
- Machine-washable adjustable backrest with quick-release buckles – can be easily adjusted to the user

The **Ocean Vip** is available as follows:

- Standard version with castors, toilet pan holder and soft seat, insert, pan and lid.

**Product code: 1517060**

- **XL** version (more space between the armrests) with castors, soft seat with insert, pan and lid.

**Product code: 1517061**

- The **Ocean Vip** can be retrofitted with XL armrests

## Options and features



### Seat tilt

Tilt angle 0° - 35°.



### Headrest

Height and depth-adjustable headrests included.



### Directional lock

Easy to operate brakes on 3 castors, 1 castor with directional lock to help push the chairs down straight floors.



### Adjustable seat height

Adjustable in 3 steps, no tools required.



### Adjustable headrest

Available as an option, a headrest with depth and side adjustment. Can be used to accommodate those whose head needs to be supported off centre.



### Side support pad

Mounted in predrilled holes, the side support, reduces the backrest width and can add stability. For additional postural support a range of Otto Bock® accessories can be added. please contact Invacare for further details.

Aquatec **Ocean Dual-Vip**

- Seat tilt can be individually adjusted (tilt angle 0° - 35°)
- Two additional stainless steel gas springs to lower the backrest (recline angle 10° - 50°)
- Second operating lever with safety lock to lower the backrest
- Particularly stable even at maximum tilt angle, anti-tippers included
- Machine-washable adjustable backrest with quick-release buckles – can be adjusted to the user

The **Ocean Dual Vip** is available as follows:

- Standard version with castors, soft seat with insert, pan and lid.

**Product code: 1517062**

- The **Ocean Vip** can be retrofitted with reclining backrests for the **Ocean Dual Vip** and be fitted with anti-tippers
- The **Ocean Dual Vip** can be retrofitted with XL armrests

## Options and features



Seat surface 0°, backrest 25°



Full seat tilt 35°, back rest 50°



Anti-tippers included

Aquatec **Ocean E-Vip**

- Seat height can be steplessly adjusted between 500 and 1050 mm electrically
- Seat tilt can be electrically tilted forwards and backwards (tilt angle -5° to 35°)
- Particularly stable even at maximum tilt angle and maximum seat height
- Clearly laid out hand control for simple adjustment of the seat height and seat tilt (4 buttons only)
- Sealed electronic components: ideal for use in the shower
- Can be cleaned in automatic cleaning stations at temperatures up to 85 °C!
- Detachable battery pack can be recharged easily

The **Ocean E-Vip** is available as follows:

- Standard version with castors, soft seat with insert, pan and lid.

**Product code: 1518424**

- The **Ocean E-Vip** can be retrofitted with XL armrests

## Options and features



Maximum tilt angle and maximum seat height



Detachable battery pack



Clearly laid out hand control

## Accessories Aquatec Ocean



### Soft seat

With key-shaped cut out.

**16341** for **Ocean / Ocean XL / Ocean E-Vip**

**1470075** for **Ocean Vip / Ocean Vip XL / Ocean Dual Vip**



### Soft seat insert

For soft seat with key-shaped cut out.

**16343** for all models of the **Ocean** series



### Soft seat

With small, oval opening.

**16342** for all models of the **Ocean** series



### Splash guard

Simply snap-on, for soft seat with key-shaped cut out.

**16511** for all models of the **Ocean** series



## Accessories Aquatec Ocean



### Universal soft seat

Closed seat surface.

**1526032** for all models of the **Ocean** series



### Ergonomic special soft seat

Extra soft, textured surface

**1531259** soft for **Ocean**, **Ocean XL**, **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip**



### Safety bar

For additional safety. The surface with soft padding. Easy to assemble.

**10167-10** for all models of the **Ocean** series. Length: 540 mm

**1470078** XL safety bar for all XL versions of the **Ocean** series. Length: 620 mm



### Safety belts

For safe positioning. Individually adjustable, high load capacity and easy to assemble.

Machine-washable. For all models of the **Ocean** series.

**1470081** Chest belt, grey  
**1470082** Pelvic belt, grey



### Armrest locking device

To lock the armrest.

**1470077** for all models of the **Ocean** series



### XL back

Increases the width of the backrest by 80 mm.

Retrofit kit for **Ocean**.

**1534979**

**Not available until August 2011**



### Wider XL armrests

Increases the distance between the armrests by 40 mm on each side.

Retrofit kit for **Ocean Vip**, **Ocean Dual Vip** and **Ocean E-Vip**

**1470086** Wider XL armrests (pair)



### 24" wheels (set)

Incl. brakes and removable axles.

**16379** for **Ocean / Ocean XL**



### Amputation support (shown for Ocean)

Padded, both height and angle adjustable.

**16616** for **Ocean / Ocean XL** (left or right)

**1470083** left for **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip** and **Ocean E-Vip**

**1470827** right for **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip** and **Ocean E-Vip**



### Calf support (shown for Ocean)

Padded, both height and angle adjustable.

**16615** for **Ocean / Ocean XL** (left or right)

**1470084** left for **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip** and **Ocean E-Vip**

**1470828** right for **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip** and **Ocean E-Vip**



### Toilet pan

With handle and cover.

**10230** for all models of **Ocean** series. Length: 460 mm

### Toilet pan holder (not shown)

**16335** for **Ocean / Ocean XL**

**1470076** for **Ocean Vip / Ocean Vip XL / Ocean Dual Vip**

**1471233** for **Ocean E-Vip**



### Head/Neckrest (neckrest shown)

**1531465** Headrest for **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip** and **Ocean E-Vip**

**1531608** Neckrest for **Ocean Vip**, **Ocean Vip XL**, **Ocean Dual Vip** and **Ocean E-Vip**


## Technical data

Dimensions	Aquatec <b>Ocean</b>	Aquatec <b>Ocean 24" wheels</b>	Aquatec <b>Ocean XL</b>
Seat width	480 mm (A)	480 mm (A)	480 mm (A)
Seat depth	450 mm (B)	450 mm (B)	450 mm (B)
	450 mm (B)	475 - 600 mm (C)	475 - 600 mm (C)
Total width	560 mm (D)	675 mm (D)	640 mm (D)
Total depth	900 mm (E)	1060 mm (E)	900 mm (E)
Total height	940 - 1070 mm (F)	940 - 1070 mm (F)	940 - 1070 mm (F)
Depth without footrests	700 mm (G)	855 mm (G)	700 mm (G)
Footplate depth	155 mm (H)	155 mm (H)	155 mm (H)
Height to armrests	680 - 850 mm (I)	680 - 850 mm (I)	680 - 850 mm (I)
Height, footrests to seat	255 - 495 mm (J)	255 - 495 mm (J)	255 - 495 mm (J)
Height, ground to lower seat edge:			
with holder for commode pan	390 - 520 mm (K)	390 - 520 mm (K)	390 - 520 mm (K)
without holder for commode pan	410 - 540 mm (K)	410 - 540 mm (K)	410 - 540 mm (K)
Height, seat to armrest	210 / 250 mm (L)	210 / 250 mm (L)	210 / 250 mm (L)
Width between the armrests	460 mm (M)	460 mm (M)	540 mm (M)
Width, cut out in seat plate	205 mm	205 mm	205 mm
Depth, cut out in seat plate	320 mm	320 mm	320 mm
Graduation, height adjustment	25 mm	25 mm	25 mm
Ø Castors	5" (127 mm)	5" (127 mm)	5" (127 mm)
Ø Drive wheels	–	24" (610 mm)	–
Width between the 24" wheels	–	540 mm (N)	–
<b>More info</b>			
Weight	14.5 kg	19.5 kg	14.5 kg
Load capacity	150 kg (23 stone)*	150 kg (23 stone)*	150 kg (23 stone)*
Colour	White	White	White
Warranty	3 years	3 years	3 years


Heel loops are included in the scope of delivery. The toilet pan holder and toilet pan are not.

\* Weight limit has increased for 2011 updated version of the Ocean from June 2011


**Ocean** with castors



**Ocean** with 24" wheels




**Ocean XL**




## Technical data

Dimensions	Aquatec <b>Ocean Vip</b> with tilt	Aquatec <b>Ocean Vip XL</b> with tilt	Aquatec <b>Ocean Dual Vip</b> with tilt & recline	Aquatec <b>Ocean E-Vip</b>
Seat width	500 mm (A)	500 mm (A)	500 mm (A)	480 mm (A)
Seat depth	450 mm (B)	450 mm (B)	450 mm (B)	450 mm (B)
Seat height	510 - 610 mm (C)	510 - 610 mm (C)	510 - 610 mm (C)	500 - 1050 mm (C)
Total width	595 mm (D)	625 mm (D)	625 mm (D)	730 mm (D)
Total depth	1060 mm (E)	1060 mm (E)	1060 mm (E)	1010 mm (E)
Total height without adjustable headrest	1085 - 1185 mm (F)	1085 - 1185 mm (F)	1085 - 1185 mm (F)	1070 - 1620 mm (F)
Depth without footrests	845 mm (G)	845 mm (G)	845 mm (G)	1010 mm (G)
Footplate depth	160 mm (H)	160 mm (H)	160 mm (H)	155 mm (H)
Height to armrest	720 - 860 mm (I)	720 - 860 mm (I)	720 - 860 mm (I)	730 - 1320 mm (I)
Height, footrests to seat	345 - 465 mm (J)	345 - 465 mm (J)	345 - 465 mm (J)	345 - 465 mm (J)
Height, ground to lower seat edge: with holder for toilet pan	420 - 520 mm (K)	420 - 520 mm (K)	420 - 520 mm (K)	420 - 970 mm (K)
without holder for toilet pan	440 - 540 mm (K)	440 - 540 mm (K)	440 - 540 mm (K)	465 - 1015 mm (K)
Height, seat to armrest	215 / 245 mm (L)	215 / 245 mm (L)	215 / 245 mm (L)	230 - 270 mm (L)
Width between the armrests	475 mm (M)	555 mm (M)	475 mm (M)	470 mm (M)
Width, cut out in seat plate	205 mm	205 mm	205 mm	205 mm
Depth, cut out in seat plate	320 mm	320 mm	320 mm	320 mm
Tilt angle seat	0° - 35°	0° - 35°	0° - 35°	-
Tilt angle back	-	-	10° - 50°	-
Graduation, height adjustment	50 mm	50 mm	50 mm	stepless
Ø Castors	5" (127 mm)	5" (127 mm)	5" (127 mm)	5" (127 mm)
<b>More info</b>				
Weight	23.5 kg	23.5 kg	28.3 kg	39 kg
Load capacity	150 kg (23 stone)	150 kg (23 stone)	150 kg (23 stone)	150 kg (23 stone)
Colour	White	White	White	White
Warranty	3 years	3 years	3 years	3 years

### Ocean Vip / Vip XL / Dual Vip



### Ocean E-Vip



INVACARE Limited  
Pencoed Technology Park - Pencoed -  
Bridgend CF35 5AQ  
Tel: +44 1 656 776 222  
Fax: +44 1656 776 220  
E-mail: [uk@invacare.com](mailto:uk@invacare.com)  
[www.invacare.co.uk](http://www.invacare.co.uk)  
Sales Order E-mail:  
[ordersuk@invacare.com](mailto:ordersuk@invacare.com)

INVACARE Ireland Ltd  
Unit 5 - Seatown Business Campus  
Seatown Road - SWORDS - County  
Dublin  
Tel. +353 1 8107084  
Fax +353 1 8107085  
Email: [Ireland@invacare.com](mailto:Ireland@invacare.com)  
[www.invacare.ie](http://www.invacare.ie)

© 2011 Invacare International Sàrl  
All rights reserved.

All information quoted is believed to be  
correct at time of print.  
Invacare reserves the right to alter  
product specifications without prior  
consultation.

Ocean - UK - 08/2011 - 1504395



**Yes, you can.®**